

Work Order ID 138596

138596

Page 1

Item ID: D6104-003

Accept

N900040100

Setup Start ***NS1***

Revision ID:

Item Name: Round Billet, 17-4

Stop ***NS2***

Start Date: 11/3/2015 Start Qty: 10.00

10

Cust Item ID:

Required Date: 11/3/2015 Req'd Qty: 10.00

10

Customer:

Reference:

Approvals: Process Plan: MLS Date: NOV 03 2015

Tooling:

Date:

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____

Date:

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D6104	Rev B

100 PURCHASING 0.00

100

Purchasing

Memo 0.00

Purchasing

Issue P/O: 30362 a)Description: S.S round billet b) Ø3.25" x 3.80" longc) Tolerance on all dimensions are +0.030"/-0.000"d) Material: 17-4PH Stainless steel (Ams 5643 or Aisi 630)e)One blank makes 2 partsf) Material certification required

CY NOV 04 2015 10

110 Receive & Inspect for Damage & Mat'l Certs 0.00

110

Packaging

Memo 0.00

Packaging

Ensure material certification is attached

10x SP15-11-25

120 QC6- Inspect dimensions to drawing 0.00

120

QC

Memo 0.00

Quality Control

Ensure Material certification comply to Dwg D6104

10 0 15/11/25

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval					

Root Cause				FAULT CATEGORY							
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong	☐
Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions	☐
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance	☐
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect	☐
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved	☐
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing	☐
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish	☐
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread	☐
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence	☐
Past Expiry Date	☐	Manufacturing Process	☐	OTHER : _____							
Misidentified	☐	Past Due	☐								

1385.96

Page 2

N900040100

Setup Start *NS1*

Stop *NS2*

Start Date: 11/3/2015 **Start Qty:** 10.00

10

Cust Item ID:**Required Date:** 11/3/2015 **Req'd Qty:** 10.00

10

Customer:

Reference:

Approvals: **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____
QC: _____ **Date:** _____ **SPC (Y/N):** _____ **Date:** _____

Run	Start	*NR1*
	Stop	*NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

130 Identify as per dwg & Stock Location: MAT043 0.00

130

Packaging

Memo

0.00

Packaging

LOCATION: MAT043

140

QC21- Final Inspection - Work Order Release	0.00
---	------

140

QC

Memo

0.02

Quality Control

10 ~~0~~ inf
15/1/25

MLJ 15-11-26

MLJ 15-11-26

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Picklist Print

Tuesday, November 03, 2015 11:48:05 AM

Page 1

Work Order ID: 138596

138596

Parent Item: D6104-003

D6104-003

Parent Item Name: Round Billet, 17-4

Start Date: 11/3/2015

Required Date: 11/3/2015

Start Qty: 10.00

Required Qty: 10.00

Comments: IPP B: 01.09.04 Revised Step 2 SM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D6104-003P

Purchased

No

110

Each

0.0000

1

10

D6104-003P

17-4 SS Roundbar 3.25"Od

10x 8015-11-25

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐


Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval				
Description Work Order Deviation				Disposition							
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐		No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐		Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐		Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	
				OTHER : _____							



DESIGN RF	DRAWN BY [Signature]	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D6104	Rev. B SHEET 1 OF 1
DATE 02.11.25		TITLE ROUND BILLET, 17-4	SCALE NTS
A	01.04.10	NEW ISSUE	
B	02.11.25	CLARIFY ALLOY SPEC ADDED D6104-009/-011 REDUCE LENGTH OF BILLETS	

RELEASED
02.11.29 [Signature]

SPECIFICATION CONTROL DRAWING



15-11-03
138596 MJS
UNCONTROLLED
SPECIFICATION
138596 MJS

MATERIAL: 17-4 PH SS (AMS 5643 OR AISI 630) MIN UTS = 170 KSI (38 HRC)

PURCHASE MATERIAL ACCORDING TO THE FOLLOWING TABLE. SPECIFY ALLOY, DIAMETER x LENGTH (+0.030/-0.000) AS SHOWN.

TOLERANCE ON ALL DIMENSIONS IS +0.030/-0.000.

ALL DIMENSIONS ARE IN INCHES

Part No.	Alloy	D (Diameter)	Length
D6104-001	17-4 PH STAINLESS STEEL	Ø3.00	3.80
D6104-003	17-4 PH STAINLESS STEEL	Ø3.25	3.80
D6104-005	17-4 PH STAINLESS STEEL	Ø4.00	5.10
D6104-007	17-4 PH STAINLESS STEEL	Ø4.50	5.10
D6104-009	17-4 PH STAINLESS STEEL	Ø5.25	4.10
D6104-011	17-4 PH STAINLESS STEEL	Ø6.50	4.10

Copyright © 2001 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO30362**

Purchase Order Date 11/4/2015

PO Print Date 11/4/2015

Page Number 1 of 2

Order From :
METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAXED

Contact Name
Vendor Phone

Buyer Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency USD

FOB Destination-Collect

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
----------	--	------------------------	--------------------------------------	----	--------------------------------	---------------	-------------------

1	D6101-017P ✓	ALUM BILLET	11/19/2015 Yes 11/19/2015		12.00 ✓ Each	\$64.75	\$777.00
---	--------------	-------------	---------------------------------	--	-----------------	---------	----------

AS PER DWG D6101 REV. B
B138595
SIZE: 6.350" X 6.250" X 2.250" THICK
GRAIN DIRECTION ALONG 6.350" LENGHT
MATERIAL: 7075-T7351 QQ-A-250/12
TOLERANCE AS PER QUOTE +.030"/-.000"

SP15-11-23

Line Total: \$777.00

2	D6104-003P	17-4 SS Roundbar 3.25"Od	11/19/2015 Yes 11/19/2015		10.00 ✓ Each	\$36.25	\$362.50
---	------------	--------------------------	---------------------------------	--	-----------------	---------	----------

AS PER DWG D6104 REV. B
B138596
SIZE: 3.25" X 3.80" LONG
MATERIAL: 17-4 PH AS PER AMS 5643 OR AISI 630

SP15-11-25

Line Total: \$362.50

Note:

11/4/2015

**Castle Metals®**

A. M. Castle & Co.

**PACKING SLIP/
CERTIFICATE OF CONFORMANCE**

Page 1 of 1

Pack Slip No:2245128

Ship From: A. M. Castle & Co. Cleveland 26800 Miles Road Bedford Heights, OH 44146		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date Shipped 19-NOV-2015	F.O.B. ORIGIN	Freight Terms Prepaid	Carrier CASTLE_NETWORK	BOL No 2255481	Delivery No 120241896		

Shipment Details	Final Destination Branch -
-------------------------	-----------------------------------

Order No 4124821	Line No 1	Item No 42470.MO	Description 3.2500.RD.17CR-4NI.STAINLESS.RT.SOL TR.COND A.132.0000-156.0000 CUT TO 3.8 IN (+ .1250/- .0000 IN) - BAND SAW CUTTING SPECIFICATIONS: AMS 5643 Email P/s and certs to: clavoie@dartaero.com			
Purchase Order No 30362 ✓		Part Number YOUR ITEM NUMBER: D6104-003 ✓		Ordered Qty 10.00 PCS	Invoice Qty 10.00 PCS	
Details		ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S				
Mill NORTH AMERICAN STAINLESS	Heat Number V1B2	Mech ID	PCS 10	Width (IN)	Length (IN)	Shipped Qty (LBS) 89.3327

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.	
We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.	
Reviewed by Authorized Castle Metals Representative:	Date: Name:



**NORTH AMERICAN
STAINLESS**

METALLURGICAL TEST REPORT

6870 Highway 42 East
Ghent, KY 41045-9615
(502) 347-6000

Certificate: 62719 05 Mail To:
A.M. CASTLE AND COMPANY
1420 KENSINGTON ROAD-SUITE 220
OAK BROOK IL 60523

Ship To:
A.M. CASTLE AND COMPANY
26900 MILES ROAD
BEDFORD HEIGHTS OH 44146

Date: 5/26/2015 Page: 1 Of 1
Steel: 630(17-4)
Finish: Hot Finish
Dia/Thk: 3.2500 in
Leg Length:
Length: 144.00 in
Corrosion:

Customer: 0032 005

NAS Order: LP 30625 1

Your Order: 321758-1

Item Code: 42470

PRODUCT DESCRIPTION:

AMS 2303F,
Round Bar, Hot Rolled, Annealed, Rough Turned
UNS S17400, EN 10204 3.1, ASTM A484/11, MACRO OK, AMS 5643T
ASTM A564/13, AMS 2303, ASME SA564-07, ASTM F899/11 (CHEM ONLY)
SOL. ANNEALED @ 1900F MIN FOR 1 HR MIN. and air cooled to RT
H900 MECH. PROPERTIES ARE CAPABILITY ONLY*

REMARKS:

COMPLIES W/REQUIREMENTS OF DFAR 252.225-7009 EU DIRECTIVE
2011/65/EU. RoHS. EAF+AOD+CC. NO WELD REPAIR. MELTED AND MFG
IN USA FREE FROM MERCURY AND LOW MELTING ALLOY CONTAMINATION

OK 5/11/25

Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight
BH17284 2773	BH17286 3120							

Lab Accreditation Bureau, ISO/IEC 17025, Certificate# L2323

CHEMICAL ANALYSIS CM(Country of Melt) ES(Spain) US(United States) ZA(South Africa) JP(Japan)

Chemical Analysis per ASTM A751/08

Heat	Supplier #	CM	C %	CB %	CO %	CR %	CU %	MN %	MO %	N %	NI %	P %
VIB2		US	.020	.174	.09	15.17	3.03	.76	.17	.041	4.13	.025
			S %	SI %	TA %	TI %						
			.0280	.56	.0050	.0020						

MECHANICAL PROPERTIES

	HB	Grain	Ferrite	TS-900CAP	YS-900CAP	E1-900CAP	RA-900CAP	RC-900CAP	FREQ.	SEV.
	No.	No.	%	KSI	KSI	% 4D	%	No.	No.	No.
BH17284 R L	352.0	7.5	.40	204.56	178.86	14.60	48.33	44.0	.32	.16
BH17286 R L	352.0	7.5	.40	204.56	178.86	14.60	48.33	44.0	.32	.16



NAS hereby certifies that the analysis on this certification is correct. Based upon the results and the accuracy of the test methods used, the material meets the specifications stated. These results relate only to the items tested and this report cannot be reproduced, except in its entirety, without the written approval of NAS

Technical
Dept. Mgr.

AB Bhawe

ABHIJEET BHAVE

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: D6104-003
 DATE: 15/11/25

PO / BATCH NO.: 30362/138596

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 10
 QUANTITY INSPECTED: 10
 QUANTITY REJECTED: _____

THICKNESS ORDERED: 3.25X3.80
 THICKNESS RECEIVED: 3.25X3.80
 SHEET SIZE ORDERED: _____
 SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y ☒ N ☐	
CORRECT FINISH	☒ Y ☐ N	
CORROSION	Y ☐ N ☒	
CORRECT GRAIN DIRECTION	☒ Y ☐ N	
CORRECT MATERIAL	☒ Y ☐ N	
CORRECT THICKNESS	☒ Y ☐ N	
PHOTO REQUIRED	Y ☐ N ☒	
CORRECT MATERIAL	☒ Y ☐ N	
CORRECT REF # TO LINK CERT	☒ Y ☐ N	
CORRECT MATERIAL IDENTIFICATION	☒ Y ☐ N	
CORRECT M# ON THE MATERIAL	☒ Y ☐ N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y ☐ N ☒	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y ☐ N ☒	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>[Signature]</u> DATE: <u>15/11/25</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

INSTRUCTIONS FOR INSPECTING BAR, TUBING, ROUND, & SHEET STOCK

- 1- VERIFY STOCK TO DART PURCHASE ORDER
- 2- MEASURE ALL DIMENSIONS FOR EACH PURCHASED STOCK
 - a. WIDTH, THICKNESS, DIAMETER, WALL THICKNESS & LENGTH
- 3- VERIFY CONDITION OF MATERIAL i.e. DAMAGED, CORRODED, etc.
- 4- VERIFY THAT SUPPLIER HAS A NUMBER (HEAT #) ON ITS RECEIVING REPORT TO LINK TO MATERIAL CERTS
- 5- VERIFY MATERIAL CERTS ARE CORRECT TO THE DART PO INSTRUCTIONS
- 6- REMOVE / CUT A PIECE OF MATERIAL FOR SAMPLE HARDNESS TESTING

INSTRUCTIONS FOR INSPECTING SKIDTUBE & STEP EXTRUSION

- 1- VERIFY TO DART SUPPLIED DRAWING
- 2- SAMPLE INSPECT MATERIAL IN BUNDLE TO ENSURE MATERIAL CAN BE RECEIVED INTO DART
- 3- USING PORTABLE HARDNESS TESTER VERIFY HARDNESS OF THE MATERIAL TO THE DRAWING
- 4- VERIFY THAT MATERIAL CERTS MATCH TO WHATS CALLED UP ON THE DART DRAWING

AFTER MATERIAL PASSES INSPECTION

- 5- HAVE DART EMPLOYEES START STOCKING MATERIAL BUT REQUEST MIN **20pcs** FOR FULL INSPECTION
- 6- INSPECT ALL DIMS AS PER DRAWING REQUIREMENTS

INSTRUCTIONS FOR INSPECTING CROSS TUBE MATERIAL

- 1- VERIFY MATERIAL CERTS MATCH THE REQUIREMENTS ON THE DART DRAWINGS
- 2- INSPECT MIN. HALF THE BATCH OF EXTRUSION RECEIVED INTO DART
- 3- INSPECT MATERIAL AS PER THE EXTRUSION REPORT
 - a. WALL THICKNESS USING ULTRA-SONIC IN 4 LOCATIONS
 - b. OUTSIDE DIAMETER HIGHEST/LOWEST BOTH ENDS
 - c. INSIDE DIAMETER HIGHEST/LOWEST BOTH ENDS
 - d. STRAIGHTNESS @ CENTER OVER 12' SPAN
 - e. WALL THICKNESS USING TUBE MICROMETER HIGHEST/LOWEST BOTH ENDS
- 4- IDENTIFY EACH TUBE IN SEQUENCE OF INSPECTING (TUBE 1, TUBE2.....) AND W/O# AND PO#
- 5- RECORD ALL FINDINGS ON EXTRUSION REPORT

IF ANY QUESTIONS PLEASE SEE QC COORDINATOR BEFORE GOING FURTHER